

Instrument / Site

| | | |
|---|---|--|
| Meter | Probe | |
| Model: NBM-550 | Model: EHP50F | |
| S/N: H-0121 | S/N: 100WY61283 | |
| Calibration Due Date 03/21/2021 | Calibration Due Date 04/05/2021 | |

| | |
|-------------|--------------------|
| Site | Coordinates |
| Udvar | |

| |
|----------------|
| Comment |
| |

Measured Values

Spectrum: Span 100 Hz, Highest Peak 1.1235 μ T (50.0 Hz)

| <u>Index</u> | <u>Frequency</u> | <u>Act (H-Field)</u> |
|--------------|------------------|----------------------|
| 1 | 1.0 Hz | 0.0241 μ T |
| 2 | 1.2 Hz | 0.0233 μ T |
| 3 | 1.5 Hz | 0.0308 μ T |
| 4 | 1.7 Hz | 0.0260 μ T |
| 5 | 2.0 Hz | 0.0155 μ T |
| 6 | 2.2 Hz | 0.0112 μ T |
| 7 | 2.4 Hz | 0.0106 μ T |
| 8 | 2.7 Hz | 0.0098 μ T |
| 9 | 2.9 Hz | 0.0076 μ T |
| 10 | 3.2 Hz | 0.0062 μ T |
| 11 | 3.4 Hz | 0.0043 μ T |
| 12 | 3.7 Hz | 0.0037 μ T |
| 13 | 3.9 Hz | 0.0030 μ T |
| 14 | 4.2 Hz | 0.0022 μ T |
| 15 | 4.4 Hz | 0.0025 μ T |
| 16 | 4.6 Hz | 0.0029 μ T |
| 17 | 4.9 Hz | 0.0023 μ T |
| 18 | 5.1 Hz | 0.0013 μ T |
| 19 | 5.4 Hz | 0.0016 μ T |
| 20 | 5.6 Hz | 0.0021 μ T |
| 21 | 5.9 Hz | 0.0023 μ T |
| 22 | 6.1 Hz | 0.0024 μ T |
| 23 | 6.3 Hz | 0.0028 μ T |
| 24 | 6.6 Hz | 0.0028 μ T |
| 25 | 6.8 Hz | 0.0029 μ T |
| 26 | 7.1 Hz | 0.0029 μ T |
| 27 | 7.3 Hz | 0.0024 μ T |
| 28 | 7.6 Hz | 0.0020 μ T |
| 29 | 7.8 Hz | 0.0022 μ T |
| 30 | 8.1 Hz | 0.0025 μ T |
| 31 | 8.3 Hz | 0.0026 μ T |
| 32 | 8.5 Hz | 0.0025 μ T |
| 33 | 8.8 Hz | 0.0019 μ T |
| 34 | 9.0 Hz | 0.0013 μ T |
| 35 | 9.3 Hz | 0.0012 μ T |
| 36 | 9.5 Hz | 0.0012 μ T |
| 37 | 9.8 Hz | 0.0019 μ T |
| 38 | 10.0 Hz | 0.0021 μ T |
| 39 | 10.3 Hz | 0.0018 μ T |
| 40 | 10.5 Hz | 0.0014 μ T |
| 41 | 10.7 Hz | 0.0010 μ T |
| 42 | 11.0 Hz | 0.0013 μ T |
| 43 | 11.2 Hz | 0.0015 μ T |
| 44 | 11.5 Hz | 0.0015 μ T |
| 45 | 11.7 Hz | 0.0012 μ T |
| 46 | 12.0 Hz | 0.0010 μ T |
| 47 | 12.2 Hz | 0.0012 μ T |
| 48 | 12.5 Hz | 0.0017 μ T |
| 49 | 12.7 Hz | 0.0018 μ T |
| 50 | 12.9 Hz | 0.0015 μ T |
| 51 | 13.2 Hz | 0.0013 μ T |
| 52 | 13.4 Hz | 0.0015 μ T |

| <u>Index</u> | <u>Frequency</u> | <u>Act (H-Field)</u> |
|--------------|------------------|----------------------|
| 53 | 13.7 Hz | 0.0018 µT |
| 54 | 13.9 Hz | 0.0019 µT |
| 55 | 14.2 Hz | 0.0016 µT |
| 56 | 14.4 Hz | 0.0012 µT |
| 57 | 14.6 Hz | 0.0011 µT |
| 58 | 14.9 Hz | 0.0012 µT |
| 59 | 15.1 Hz | 0.0013 µT |
| 60 | 15.4 Hz | 0.0014 µT |
| 61 | 15.6 Hz | 0.0012 µT |
| 62 | 15.9 Hz | 0.0011 µT |
| 63 | 16.1 Hz | 0.0008 µT |
| 64 | 16.4 Hz | 0.0007 µT |
| 65 | 16.6 Hz | 0.0008 µT |
| 66 | 16.8 Hz | 0.0007 µT |
| 67 | 17.1 Hz | 0.0006 µT |
| 68 | 17.3 Hz | 0.0006 µT |
| 69 | 17.6 Hz | 0.0007 µT |
| 70 | 17.8 Hz | 0.0007 µT |
| 71 | 18.1 Hz | 0.0006 µT |
| 72 | 18.3 Hz | 0.0005 µT |
| 73 | 18.6 Hz | 0.0005 µT |
| 74 | 18.8 Hz | 0.0006 µT |
| 75 | 19.0 Hz | 0.0006 µT |
| 76 | 19.3 Hz | 0.0006 µT |
| 77 | 19.5 Hz | 0.0006 µT |
| 78 | 19.8 Hz | 0.0005 µT |
| 79 | 20.0 Hz | 0.0006 µT |
| 80 | 20.3 Hz | 0.0006 µT |
| 81 | 20.5 Hz | 0.0006 µT |
| 82 | 20.8 Hz | 0.0005 µT |
| 83 | 21.0 Hz | 0.0003 µT |
| 84 | 21.2 Hz | 0.0003 µT |
| 85 | 21.5 Hz | 0.0005 µT |
| 86 | 21.7 Hz | 0.0005 µT |
| 87 | 22.0 Hz | 0.0006 µT |
| 88 | 22.2 Hz | 0.0006 µT |
| 89 | 22.5 Hz | 0.0005 µT |
| 90 | 22.7 Hz | 0.0002 µT |
| 91 | 22.9 Hz | 0.0004 µT |
| 92 | 23.2 Hz | 0.0005 µT |
| 93 | 23.4 Hz | 0.0005 µT |
| 94 | 23.7 Hz | 0.0005 µT |
| 95 | 23.9 Hz | 0.0003 µT |
| 96 | 24.2 Hz | 0.0002 µT |
| 97 | 24.4 Hz | 0.0004 µT |
| 98 | 24.7 Hz | 0.0005 µT |
| 99 | 24.9 Hz | 0.0006 µT |
| 100 | 25.1 Hz | 0.0005 µT |
| 101 | 25.4 Hz | 0.0004 µT |
| 102 | 25.6 Hz | 0.0004 µT |
| 103 | 25.9 Hz | 0.0005 µT |
| 104 | 26.1 Hz | 0.0006 µT |
| 105 | 26.4 Hz | 0.0007 µT |
| 106 | 26.6 Hz | 0.0006 µT |
| 107 | 26.9 Hz | 0.0005 µT |
| 108 | 27.1 Hz | 0.0003 µT |
| 109 | 27.3 Hz | 0.0003 µT |

| <u>Index</u> | <u>Frequency</u> | <u>Act (H-Field)</u> |
|--------------|------------------|----------------------|
| 110 | 27.6 Hz | 0.0004 µT |
| 111 | 27.8 Hz | 0.0004 µT |
| 112 | 28.1 Hz | 0.0005 µT |
| 113 | 28.3 Hz | 0.0005 µT |
| 114 | 28.6 Hz | 0.0005 µT |
| 115 | 28.8 Hz | 0.0006 µT |
| 116 | 29.1 Hz | 0.0006 µT |
| 117 | 29.3 Hz | 0.0004 µT |
| 118 | 29.5 Hz | 0.0003 µT |
| 119 | 29.8 Hz | 0.0003 µT |
| 120 | 30.0 Hz | 0.0003 µT |
| 121 | 30.3 Hz | 0.0003 µT |
| 122 | 30.5 Hz | 0.0003 µT |
| 123 | 30.8 Hz | 0.0003 µT |
| 124 | 31.0 Hz | 0.0003 µT |
| 125 | 31.2 Hz | 0.0003 µT |
| 126 | 31.5 Hz | 0.0003 µT |
| 127 | 31.7 Hz | 0.0004 µT |
| 128 | 32.0 Hz | 0.0005 µT |
| 129 | 32.2 Hz | 0.0005 µT |
| 130 | 32.5 Hz | 0.0005 µT |
| 131 | 32.7 Hz | 0.0004 µT |
| 132 | 33.0 Hz | 0.0003 µT |
| 133 | 33.2 Hz | 0.0003 µT |
| 134 | 33.4 Hz | 0.0004 µT |
| 135 | 33.7 Hz | 0.0004 µT |
| 136 | 33.9 Hz | 0.0004 µT |
| 137 | 34.2 Hz | 0.0004 µT |
| 138 | 34.4 Hz | 0.0003 µT |
| 139 | 34.7 Hz | 0.0003 µT |
| 140 | 34.9 Hz | 0.0002 µT |
| 141 | 35.2 Hz | 0.0002 µT |
| 142 | 35.4 Hz | 0.0002 µT |
| 143 | 35.6 Hz | 0.0003 µT |
| 144 | 35.9 Hz | 0.0002 µT |
| 145 | 36.1 Hz | 0.0003 µT |
| 146 | 36.4 Hz | 0.0003 µT |
| 147 | 36.6 Hz | 0.0004 µT |
| 148 | 36.9 Hz | 0.0003 µT |
| 149 | 37.1 Hz | 0.0003 µT |
| 150 | 37.4 Hz | 0.0004 µT |
| 151 | 37.6 Hz | 0.0004 µT |
| 152 | 37.8 Hz | 0.0005 µT |
| 153 | 38.1 Hz | 0.0004 µT |
| 154 | 38.3 Hz | 0.0003 µT |
| 155 | 38.6 Hz | 0.0003 µT |
| 156 | 38.8 Hz | 0.0003 µT |
| 157 | 39.1 Hz | 0.0003 µT |
| 158 | 39.3 Hz | 0.0003 µT |
| 159 | 39.6 Hz | 0.0003 µT |
| 160 | 39.8 Hz | 0.0004 µT |
| 161 | 40.0 Hz | 0.0005 µT |
| 162 | 40.3 Hz | 0.0005 µT |
| 163 | 40.5 Hz | 0.0006 µT |
| 164 | 40.8 Hz | 0.0006 µT |
| 165 | 41.0 Hz | 0.0005 µT |
| 166 | 41.3 Hz | 0.0005 µT |

| <u>Index</u> | <u>Frequency</u> | <u>Act (H-Field)</u> |
|--------------|------------------|----------------------|
| 167 | 41.5 Hz | 0.0005 µT |
| 168 | 41.7 Hz | 0.0004 µT |
| 169 | 42.0 Hz | 0.0003 µT |
| 170 | 42.2 Hz | 0.0003 µT |
| 171 | 42.5 Hz | 0.0003 µT |
| 172 | 42.7 Hz | 0.0003 µT |
| 173 | 43.0 Hz | 0.0002 µT |
| 174 | 43.2 Hz | 0.0002 µT |
| 175 | 43.5 Hz | 0.0003 µT |
| 176 | 43.7 Hz | 0.0003 µT |
| 177 | 43.9 Hz | 0.0002 µT |
| 178 | 44.2 Hz | 0.0002 µT |
| 179 | 44.4 Hz | 0.0002 µT |
| 180 | 44.7 Hz | 0.0003 µT |
| 181 | 44.9 Hz | 0.0004 µT |
| 182 | 45.2 Hz | 0.0004 µT |
| 183 | 45.4 Hz | 0.0002 µT |
| 184 | 45.7 Hz | 0.0002 µT |
| 185 | 45.9 Hz | 0.0003 µT |
| 186 | 46.1 Hz | 0.0005 µT |
| 187 | 46.4 Hz | 0.0006 µT |
| 188 | 46.6 Hz | 0.0005 µT |
| 189 | 46.9 Hz | 0.0005 µT |
| 190 | 47.1 Hz | 0.0006 µT |
| 191 | 47.4 Hz | 0.0005 µT |
| 192 | 47.6 Hz | 0.0004 µT |
| 193 | 47.9 Hz | 0.0005 µT |
| 194 | 48.1 Hz | 0.0008 µT |
| 195 | 48.3 Hz | 0.0011 µT |
| 196 | 48.6 Hz | 0.0012 µT |
| 197 | 48.8 Hz | 0.0013 µT |
| 198 | 49.1 Hz | 0.0416 µT |
| 199 | 49.3 Hz | 0.3325 µT |
| 200 | 49.6 Hz | 0.8594 µT |
| 201 | 49.8 Hz | 1.1128 µT |
| 202 | 50.0 Hz | 1.1235 µT |
| 203 | 50.3 Hz | 1.0292 µT |
| 204 | 50.5 Hz | 0.5723 µT |
| 205 | 50.8 Hz | 0.1302 µT |
| 206 | 51.0 Hz | 0.0070 µT |
| 207 | 51.3 Hz | 0.0014 µT |
| 208 | 51.5 Hz | 0.0012 µT |
| 209 | 51.8 Hz | 0.0009 µT |
| 210 | 52.0 Hz | 0.0004 µT |
| 211 | 52.2 Hz | 0.0004 µT |
| 212 | 52.5 Hz | 0.0006 µT |
| 213 | 52.7 Hz | 0.0006 µT |
| 214 | 53.0 Hz | 0.0005 µT |
| 215 | 53.2 Hz | 0.0004 µT |
| 216 | 53.5 Hz | 0.0005 µT |
| 217 | 53.7 Hz | 0.0005 µT |
| 218 | 54.0 Hz | 0.0004 µT |
| 219 | 54.2 Hz | 0.0004 µT |
| 220 | 54.4 Hz | 0.0004 µT |
| 221 | 54.7 Hz | 0.0002 µT |
| 222 | 54.9 Hz | 0.0001 µT |
| 223 | 55.2 Hz | 0.0002 µT |


| <u>Index</u> | <u>Frequency</u> | <u>Act (H-Field)</u> |
|--------------|------------------|----------------------|
| 224 | 55.4 Hz | 0.0002 µT |
| 225 | 55.7 Hz | 0.0003 µT |
| 226 | 55.9 Hz | 0.0004 µT |
| 227 | 56.2 Hz | 0.0003 µT |
| 228 | 56.4 Hz | 0.0003 µT |
| 229 | 56.6 Hz | 0.0002 µT |
| 230 | 56.9 Hz | 0.0002 µT |
| 231 | 57.1 Hz | 0.0002 µT |
| 232 | 57.4 Hz | 0.0002 µT |
| 233 | 57.6 Hz | 0.0003 µT |
| 234 | 57.9 Hz | 0.0003 µT |
| 235 | 58.1 Hz | 0.0003 µT |
| 236 | 58.3 Hz | 0.0003 µT |
| 237 | 58.6 Hz | 0.0003 µT |
| 238 | 58.8 Hz | 0.0003 µT |
| 239 | 59.1 Hz | 0.0003 µT |
| 240 | 59.3 Hz | 0.0002 µT |
| 241 | 59.6 Hz | 0.0003 µT |
| 242 | 59.8 Hz | 0.0004 µT |
| 243 | 60.1 Hz | 0.0004 µT |
| 244 | 60.3 Hz | 0.0002 µT |
| 245 | 60.5 Hz | 0.0002 µT |
| 246 | 60.8 Hz | 0.0002 µT |
| 247 | 61.0 Hz | 0.0003 µT |
| 248 | 61.3 Hz | 0.0003 µT |
| 249 | 61.5 Hz | 0.0002 µT |
| 250 | 61.8 Hz | 0.0002 µT |
| 251 | 62.0 Hz | 0.0002 µT |
| 252 | 62.3 Hz | 0.0002 µT |
| 253 | 62.5 Hz | 0.0002 µT |
| 254 | 62.7 Hz | 0.0002 µT |
| 255 | 63.0 Hz | 0.0003 µT |
| 256 | 63.2 Hz | 0.0004 µT |
| 257 | 63.5 Hz | 0.0004 µT |
| 258 | 63.7 Hz | 0.0003 µT |
| 259 | 64.0 Hz | 0.0002 µT |
| 260 | 64.2 Hz | 0.0002 µT |
| 261 | 64.5 Hz | 0.0001 µT |
| 262 | 64.7 Hz | 0.0001 µT |
| 263 | 64.9 Hz | 0.0002 µT |
| 264 | 65.2 Hz | 0.0002 µT |
| 265 | 65.4 Hz | 0.0003 µT |
| 266 | 65.7 Hz | 0.0003 µT |
| 267 | 65.9 Hz | 0.0003 µT |
| 268 | 66.2 Hz | 0.0002 µT |
| 269 | 66.4 Hz | 0.0002 µT |
| 270 | 66.7 Hz | 0.0002 µT |
| 271 | 66.9 Hz | 0.0002 µT |
| 272 | 67.1 Hz | 0.0002 µT |
| 273 | 67.4 Hz | 0.0002 µT |
| 274 | 67.6 Hz | 0.0002 µT |
| 275 | 67.9 Hz | 0.0001 µT |
| 276 | 68.1 Hz | 0.0001 µT |
| 277 | 68.4 Hz | 0.0001 µT |
| 278 | 68.6 Hz | 0.0002 µT |
| 279 | 68.8 Hz | 0.0002 µT |
| 280 | 69.1 Hz | 0.0001 µT |

| <u>Index</u> | <u>Frequency</u> | <u>Act (H-Field)</u> |
|--------------|------------------|----------------------|
| 281 | 69.3 Hz | 0.0001 µT |
| 282 | 69.6 Hz | 0.0002 µT |
| 283 | 69.8 Hz | 0.0002 µT |
| 284 | 70.1 Hz | 0.0002 µT |
| 285 | 70.3 Hz | 0.0002 µT |
| 286 | 70.6 Hz | 0.0002 µT |
| 287 | 70.8 Hz | 0.0003 µT |
| 288 | 71.0 Hz | 0.0003 µT |
| 289 | 71.3 Hz | 0.0003 µT |
| 290 | 71.5 Hz | 0.0003 µT |
| 291 | 71.8 Hz | 0.0003 µT |
| 292 | 72.0 Hz | 0.0002 µT |
| 293 | 72.3 Hz | 0.0002 µT |
| 294 | 72.5 Hz | 0.0002 µT |
| 295 | 72.8 Hz | 0.0002 µT |
| 296 | 73.0 Hz | 0.0002 µT |
| 297 | 73.2 Hz | 0.0002 µT |
| 298 | 73.5 Hz | 0.0003 µT |
| 299 | 73.7 Hz | 0.0003 µT |
| 300 | 74.0 Hz | 0.0004 µT |
| 301 | 74.2 Hz | 0.0003 µT |
| 302 | 74.5 Hz | 0.0002 µT |
| 303 | 74.7 Hz | 0.0002 µT |
| 304 | 75.0 Hz | 0.0002 µT |
| 305 | 75.2 Hz | 0.0002 µT |
| 306 | 75.4 Hz | 0.0002 µT |
| 307 | 75.7 Hz | 0.0002 µT |
| 308 | 75.9 Hz | 0.0001 µT |
| 309 | 76.2 Hz | 0.0001 µT |
| 310 | 76.4 Hz | 0.0002 µT |
| 311 | 76.7 Hz | 0.0002 µT |
| 312 | 76.9 Hz | 0.0002 µT |
| 313 | 77.1 Hz | 0.0001 µT |
| 314 | 77.4 Hz | 0.0001 µT |
| 315 | 77.6 Hz | 0.0001 µT |
| 316 | 77.9 Hz | 0.0001 µT |
| 317 | 78.1 Hz | 0.0001 µT |
| 318 | 78.4 Hz | 0.0002 µT |
| 319 | 78.6 Hz | 0.0002 µT |
| 320 | 78.9 Hz | 0.0002 µT |
| 321 | 79.1 Hz | 0.0003 µT |
| 322 | 79.3 Hz | 0.0002 µT |
| 323 | 79.6 Hz | 0.0003 µT |
| 324 | 79.8 Hz | 0.0003 µT |
| 325 | 80.1 Hz | 0.0003 µT |
| 326 | 80.3 Hz | 0.0003 µT |
| 327 | 80.6 Hz | 0.0002 µT |
| 328 | 80.8 Hz | 0.0002 µT |
| 329 | 81.1 Hz | 0.0003 µT |
| 330 | 81.3 Hz | 0.0003 µT |
| 331 | 81.5 Hz | 0.0003 µT |
| 332 | 81.8 Hz | 0.0003 µT |
| 333 | 82.0 Hz | 0.0002 µT |
| 334 | 82.3 Hz | 0.0002 µT |
| 335 | 82.5 Hz | 0.0003 µT |
| 336 | 82.8 Hz | 0.0006 µT |
| 337 | 83.0 Hz | 0.0008 µT |

| <u>Index</u> | <u>Frequency</u> | <u>Act (H-Field)</u> |
|--------------|------------------|----------------------|
| 338 | 83.3 Hz | 0.0008 µT |
| 339 | 83.5 Hz | 0.0008 µT |
| 340 | 83.7 Hz | 0.0006 µT |
| 341 | 84.0 Hz | 0.0004 µT |
| 342 | 84.2 Hz | 0.0002 µT |
| 343 | 84.5 Hz | 0.0003 µT |
| 344 | 84.7 Hz | 0.0005 µT |
| 345 | 85.0 Hz | 0.0005 µT |
| 346 | 85.2 Hz | 0.0003 µT |
| 347 | 85.4 Hz | 0.0002 µT |
| 348 | 85.7 Hz | 0.0003 µT |
| 349 | 85.9 Hz | 0.0003 µT |
| 350 | 86.2 Hz | 0.0003 µT |
| 351 | 86.4 Hz | 0.0002 µT |
| 352 | 86.7 Hz | 0.0002 µT |
| 353 | 86.9 Hz | 0.0002 µT |
| 354 | 87.2 Hz | 0.0003 µT |
| 355 | 87.4 Hz | 0.0002 µT |
| 356 | 87.6 Hz | 0.0002 µT |
| 357 | 87.9 Hz | 0.0001 µT |
| 358 | 88.1 Hz | 0.0001 µT |
| 359 | 88.4 Hz | 0.0001 µT |
| 360 | 88.6 Hz | 0.0001 µT |
| 361 | 88.9 Hz | 0.0000 µT |
| 362 | 89.1 Hz | 0.0001 µT |
| 363 | 89.4 Hz | 0.0001 µT |
| 364 | 89.6 Hz | 0.0001 µT |
| 365 | 89.8 Hz | 0.0002 µT |
| 366 | 90.1 Hz | 0.0002 µT |
| 367 | 90.3 Hz | 0.0002 µT |
| 368 | 90.6 Hz | 0.0002 µT |
| 369 | 90.8 Hz | 0.0002 µT |
| 370 | 91.1 Hz | 0.0002 µT |
| 371 | 91.3 Hz | 0.0003 µT |
| 372 | 91.6 Hz | 0.0003 µT |
| 373 | 91.8 Hz | 0.0003 µT |
| 374 | 92.0 Hz | 0.0003 µT |
| 375 | 92.3 Hz | 0.0003 µT |
| 376 | 92.5 Hz | 0.0003 µT |
| 377 | 92.8 Hz | 0.0002 µT |
| 378 | 93.0 Hz | 0.0002 µT |
| 379 | 93.3 Hz | 0.0002 µT |
| 380 | 93.5 Hz | 0.0002 µT |
| 381 | 93.7 Hz | 0.0001 µT |
| 382 | 94.0 Hz | 0.0001 µT |
| 383 | 94.2 Hz | 0.0001 µT |
| 384 | 94.5 Hz | 0.0001 µT |
| 385 | 94.7 Hz | 0.0002 µT |
| 386 | 95.0 Hz | 0.0002 µT |
| 387 | 95.2 Hz | 0.0003 µT |
| 388 | 95.5 Hz | 0.0002 µT |
| 389 | 95.7 Hz | 0.0001 µT |
| 390 | 95.9 Hz | 0.0001 µT |
| 391 | 96.2 Hz | 0.0003 µT |
| 392 | 96.4 Hz | 0.0004 µT |
| 393 | 96.7 Hz | 0.0004 µT |
| 394 | 96.9 Hz | 0.0003 µT |

| <u>Index</u> | <u>Frequency</u> | <u>Act (H-Field)</u> |
|--------------|------------------|----------------------|
| 395 | 97.2 Hz | 0.0003 μ T |
| 396 | 97.4 Hz | 0.0002 μ T |
| 397 | 97.7 Hz | 0.0002 μ T |
| 398 | 97.9 Hz | 0.0001 μ T |
| 399 | 98.1 Hz | 0.0001 μ T |
| 400 | 98.4 Hz | 0.0001 μ T |
| 401 | 98.6 Hz | 0.0002 μ T |
| 402 | 98.9 Hz | 0.0002 μ T |
| 403 | 99.1 Hz | 0.0002 μ T |
| 404 | 99.4 Hz | 0.0008 μ T |
| 405 | 99.6 Hz | 0.0019 μ T |
| 406 | 99.9 Hz | 0.0022 μ T |
| 407 | 100.1 Hz | 0.0022 μ T |
| 408 | 100.3 Hz | 0.0018 μ T |
| 409 | 100.6 Hz | 0.0006 μ T |

Graph



Parameters

| | |
|----------------------------------|------------------------|
| Operating Mode | LOW FREQUENCY (EHP-50) |
| Number of Sub Indices | 1 |
| Storing Date | 12/23/2020 |
| Storing Time | 01:30:45 PM |
| Dataset Type | LFS |
| Voice Comment Available | NO |
| Dataset Fine Type | LFS |
| GPS Flag | NO |
| Device Product Name | NBM-550 |
| Device Serial Number | H-0121 |
| Device Cal Due Date | 03/21/2021 |
| Probe Product Name | EHP50F |
| Probe Serial Number | 100WY61283 |
| Probe Cal Due Date | 04/05/2021 |
| Probe Connection Type | EHP |
| Standard ID | 17 |
| Standard Name | GB8702-2014 |
| Result Type | ACT |
| Timer Interval | - |
| Timer Duration | - |
| History Time Scale | - |
| Time progress of current segment | - |
| Averaging Samples | 4 |
| Averaging Samples Progress | 4 |
| Frequency Mode | Highest Peak |
| Span | 100 Hz |
| Field Range | 100 μ T |
| Axis | ISOTROPIC |