

**Instrument / Site**

---

Meter	Probe	
Model: NBM-550 S/N: H-0121	Model: EF0691 S/N: H-0375	
Calibration Due Date 03/21/2021	Calibration Due Date 03/21/2021	

Site	Coordinates

Comment

## Measured Values

---

Spatial Avg:

<u>Pos</u>	<u>Date/Time</u>	<u>E-Field</u>
1	03/02/2021 11:00:06 AM	17.00 $\mu\text{W}/\text{m}^2$

## Parameters

---

Operating Mode	HIGH FREQUENCY
Number of Sub Indices	1
Storing Date	03/02/2021
Storing Time	11:00:06 AM
Dataset Type	SPA
Voice Comment Available	NO
Dataset Fine Type	S1
GPS Flag	NO
Device Product Name	NBM-550
Device Serial Number	H-0121
Device Cal Due Date	03/21/2021
Probe Product Name	EF0691
Probe Serial Number	H-0375
Probe Cal Due Date	03/21/2021
Probe Field Type	E
Probe Connection Type	A
Probe Lower Frequency Limit A	100 kHz
Probe Upper Frequency Limit A	6 GHz
Probe Lower Frequency Limit B	100 kHz
Probe Upper Frequency Limit B	6 GHz
Probe Emin A	375.0 mV/m
Probe Emax A	650.0 V/m
Probe Emin B	375.0 mV/m
Probe Emax B	650.0 V/m
Shaped Probe	NO
Standard ID	13
Standard Name	2013/35/EU Low ALs
Apply Standard	OFF
Frequency	196.610484375 kHz
Apply Correction Frequency	OFF
Eref_E(f)	170.0 V/m
Eref_H(f)	30.00 kV/m
Combi Probe Use	E_H
Unit	W/m <sup>2</sup>
Results Format	VARIABLE
Auto-Zero Interval	OFF
Result Type	-
Averaging Time	-
Average Progress	-
Spatial AVG Mode	CONTINUOUS
Store Condition	-
Storing Range	-
Cond. Stop Time	-
Upper Threshold	-
Lower Threshold	-
Timer Interval	-
Timer Duration	-
History Time Scale	-
Time progress of current segment	-